ALTAIR

Safety Data Sheet dated 21/12/2022 version 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Identification of the substance: Trade name: POTASSIUM HYDROXIDE Chemical name: POTASSIUM HYDROXIDE CAS number: 1310-58-3 EC number: 215-181-3 Index number: 019-002-00-8 Registration Number 01-2119487136-33-0018 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: FOR INDUSTRIAL USE FOR PROFESSIONAL USE FOOD ADDITIVE Uses advised against: N.A. 1.3. Details of the supplier of the safety data sheet Company: ALTAIR CHIMICA S.p.a. Via Moie Vecchie 13 56048 Saline di Volterra (PI) Competent person responsible for the safety data sheet: sds@altairchimica.com 1.4. Emergency telephone number ALTAIR CHIMICA S.p.a. Phone n. +39-0588-9811 Malta: 112

SECTION 2: Hazards identification



2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

Met. Corr. 1 May be corrosive to metals.

Acute Tox. 4 Harmful if swallowed.

Skin Corr. 1 Causes severe skin burns and eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Regulation (EC) No 1272/2008 (CLP):

Pictograms and Signal Words



Hazard statements

- H290May be corrosive to metals.H302Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.

Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P303+P361+P35 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. 3

P305+P351+P33 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number	
≥ 90 - <= 95 %	Potassium hydroxide; caustic potash	CAS:1310-58-3 EC:215-181-3 Index:019-002-	Met. Corr. 1, H290 Skin Corr. 1A, H314 Acute Tox. 4, H302	01-2119487136-33-0018	
		00-8	Specific Concentration Limits:		
			0.5% ≤ C < 2%: Skin Irrit. 2		
			H315		
			0.5% ≤ C < 2%: Eye Irrit. 2 H319		
			2% ≤ C < 5%: Skin Corr. 1B H314	1	
			5% ≤ C < 100%: Skin Corr. 1A		
			H314		

3.2. Mixtures

N.A.

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Wash immediately with water.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

In case of persistent skin irritation consult a doctor.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and hazard labelling.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Give nothing to eat or drink.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Impairment of vision

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

CO2 or Dry chemical fire extinguisher.

According to the materials involved in the fire.

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture Product itself is non-combustible.

CODE SHEET SDS-172(1222)4 Page n. 2 of 9 It can react with some metals forming flammable hydrogen.

5.3. Advice for firefighters

Wear suitable protective clothing (helmet, protective clothings, goggles, fire resistant gloves, boots) and protect respiratory organs (self contained breathing apparatus).

Use suitable breathing apparatus .

Cool the containers exposed to the fire with water.

Move undamaged containers from immediate hazard area if it can be done safely.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

If the product has escaped into a water course, into the drainage system, or has contaminated the ground or vegetation, notify the competent authorities.

6.3. Methods and material for containment and cleaning up

Collect free product with suitable mechanical means.

Dispose of the collected material in accordance with the current regulations.

Wash with plenty of water.

Retain contaminated washing water and dispose it.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

Keep away from acids.

Keep away from oxidizing agents

See subsection 10

Instructions as regards storage premises:

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Keep this product in a dry place.

Adequately ventilated premises.

Packaging materials:

Keep containers tightly closed and properly labelled.

7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Community Occupational Exposure Limits (OEL)

	OEL Type	Cou Ceilin ntry g	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Notes
Potassium hydroxide;	ACGIH	С			2.000		URT, eye, and skin irr
	122214						

caustic potash CAS: 1310-58-3

MAK		2		
National	DEN C MAR K	2.000	2	Skin
National	AUS TRIA	2.000		inhalable aerosol
National	SWE DEN	1.000	2.000	15 minutes average value
National	POL AND	0.500	1.000	
National	SPAI N	2.000		
National	HUN GAR Y	2.000	2.000	
National	FRA NCE		2.000	
National	BEL GIU M		2.000	15 minutes average
National	FINL C AND		2.000	
National	NEW C ZEA LAN D		2.000	

Derived No Effect Level (DNEL) values

	Worker Industry	Worker Professional	Consumer	Exposure Route	Exposure Frequency Remark
Potassium hydroxide; caustic potash	1 mg/m3		1 mg/m3	Human Inhalation	Long Term, local effects

CAS: 1310-58-3

8.2. Exposure controls

Individual protection measures:

Personal protective equipment selections vary based on potential exposure conditions and working conditions.

The final choice of protective equipment will depend upon a risk assessment.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Please see both sections 5 and 6 for information about personal protective equipment to be worn in an emergency (e.g.: fire or unintentional release of the substance).

Eye protection:

Chemical risk goggles (with side protecion).

Technical reference standard: UNI EN 166

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Glove suitability and breakthrough time will differ depending on the specific use conditions.

Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

Wear suitable gloves tested to EN374.

Suitable gloves type:

Butyl caoutchouc (butyl rubber).

PVC (polyvinyl chloride).

Respiratory protection:

Depending on the potential for exposure, select respiratory protective equipment suitable for the specific conditions of use and in compliance with current legislation.

Mask with filter "P", white colour

Thermal Hazards: N.A. Environmental exposure controls: Comply with the applicable environmental regulations limiting discharge to air, water and soil. Hygienic and Technical measures N.A.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State: Solid Color: White Odour: Odourless Odour threshold: (Data not available.) pH: 14 Kinematic viscosity: N.A. (Does not apply to solid.) Melting point / freezing point: 406°C Initial boiling point and boiling range: 1327°C Flash point: N.A. (Study scientifically not necessary) Upper/lower flammability or explosive limits: Not Relevant Vapour density: N.A. Vapour pressure: N.A. (Study scientifically not necessary) Relative density: 2.040 Kg/L (Data not available.) Solubility in water: 1120 g/L Solubility in oil: N.A. Partition coefficient (n-octanol/water): N.A. (Does not apply to inorganic products.) Auto-ignition temperature: N.A. (Study scientifically not necessary) Decomposition temperature: N.A. (Data not available.) Flammability: Non-flammable Volatile Organic compounds - VOCs = N.A. **Particle characteristics:** Particle size: 0.3 - 1.0 cm3 (Volum) (Method of calculation of the diameter: volume-based)

9.2. Other information

Miscibility: N.A. Conductivity: N.A. Explosive properties: (There are no chemical groups present in the molecule which are associated with these properties) Oxidizing properties: (There are no chemical groups present in the molecule which are associated with these properties) Evaporation rate: N.A. No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Danger due to exothermic reactions. May be corrosive to metals.

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Forms hydrogen by reaction with metals. Exothermic reaction with acids. Reacts with water.

Stable under normal conditions.

10.4. Conditions to avoid

Mixtures with water, acids or incompatible materials which can cause sprays and release of a large amount of heat. It can react with some metals forming flammable hydrogen. Stable under normal conditions.

10.5. Incompatible materials

Keep separate from: heat sources, oxidising agents, highly flammable materials, halogens, organic materials. Keep away from: lead, aluminium, copper, tin, zinc, bronze. See section 7.

10.6. Hazardous decomposition products

Heating can cause water to evaporate with the formation of caustic mist. Absorbs atmospheric carbon dioxide. Hydrogen: reacts with (some) metals and their compounds: emission of highly flammable gas.

SECTION 11: Toxicological information

CODE SHEET SDS-172(1222)4 Page n. 5 of 9

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological Information of the Preparation

· · · · · · · · · · · · · · · · · · ·	·····					
b) skin corrosion/irritationc) serious eye damage/irritation		The product is classified: Acute Tox. 4(H302)				
		The product is classified: Skin Corr. 1(H314)				
		Not classified				
		Based on available data, the classification criteria are not met				
d) respiratory of	or skin sensitisation	Not clas	sified			
		Based on available data, the classification criteria are not met				
e) germ cell mi	utagenicity	Not classified				
		Based on available data, the classification criteria are not met				
f) carcinogenici	ty	Not classified				
		Based on available data, the classification criteria are not met				
g) reproductive toxicity		Not classified				
		Based on available data, the classification criteria are not met				
h) STOT-single	h) STOT-single exposurei) STOT-repeated exposure		Not classified			
			Based on available data, the classification criteria are not met			
i) STOT-repeat			Not classified			
j) aspiration hazard		Based on available data, the classification criteria are not met				
		Not classified				
		Based on available data, the classification criteria are not met				
Toxicological informa	tion on main com	ponents	of the mixture:			
Potassium hydroxide; caustic potash	e; a) acute toxicity		LD50 Oral Rat 333 mg/kg bw	OECD 425		
	b) skin corrosion	/irritation	Skin Corrosive Rabbit Positive	OECD 404		
	c) serious eye damage/irritatior	ı	Eye Corrosive Rabbit Positive	OECD 406		
	d) respiratory or sensitisation	skin	Skin Sensitization Guineapig Negative			
	e) germ cell mut	agenicity	Mutagenesis Negative	Ames test - in vitro gene r study in bacteria		

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

Possible harmful effect would result from the pH effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number

1813

14.2. UN proper shipping name

ADR-Shipping Name: POTASSIUM HYDROXIDE, SOLID IATA-Technical name: POTASSIUM HYDROXIDE, SOLID IMDG-Technical name: POTASSIUM HYDROXIDE, SOLID

14.3. Transport hazard class(es)

ADR-Class: 8

IATA-Class: 8

IMDG-Class: 8

14.4. Packing group

ADR-Packing Group: II IATA-Packing group: II IMDG-Packing group: II

14.5. Environmental hazards

Marine pollutant: No Environmental Pollutant: No IMDG-EMS: F-A, S-B

14.6. Special precautions for user

Road and Rail (ADR-RID):

ADR-Label: 8

ADR - Hazard identification number: 80 ADR-Special Provisions: -

ADR-Transport category (Tunnel restriction code): 2 (E)

Air (IATA):

IATA-Passenger Aircraft: 859 IATA-Cargo Aircraft: 863 IATA-Label: 8

IATA-Subsidiary hazards: -

IATA-Erg: 8L IATA-Special Provisions: -

Sea (IMDG):

IMDG-Stowage Code: Category A IMDG-Stowage Note: SG35 SGG18 IMDG-Subsidiary hazards: -

IMDG-Special Provisions: -

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EU) n. 2020/878 Regulation (EC) n. 1907/2006 (REACH) and subsequent amendments Regulation (EC) n. 1272/2008 (CLP)and subsequent amendments Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and

subsequent modifications:

Restrictions related to the product: 75

Restrictions related to the substances contained: None.

Provisions related to directive EU 2012/18 (Seveso III):

N.A.

Regulation (EU) No 649/2012 (PIC regulation)

No substances listed

Where applicable, refer to the following regulatory provisions :

German Water Hazard Class.

Class 1: slightly hazardous for water.

SVHC Substances:

No data available

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for the substance. **Substances for which a Chemical Safety Assessment has been carried out:** Potassium hydroxide; caustic potash

SECTION 16: Other information

Code	Description					
H290	May be corrosive to metals.					
H302	Harmful if swallowed.					
H314	Causes severe skin burns and eye damage.					
Code	Hazard class and hazard category	Description				
2.16/1	Met. Corr. 1	Substance or mixture corrosive to metals, Category 1				
3.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4				
3.2/1	Skin Corr. 1	Skin corrosion, Category 1				
3.2/1A	Skin Corr. 1A	Skin corrosion, Category 1A				

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

(EC) Nr. 1272/2008	Classification procedure	
2.16/1	On basis of test data	
3.1/4/Oral	Calculation method	
3.2/1	Calculation method	

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic COD: Chemical Oxygen Demand COV: Volatile Organic Compound CSA: Chemical Safety Assessment CSR: Chemical Safety Report DMEL: Derived Minimal Effect Level DNEL: Derived No Effect Level. **DPD:** Dangerous Preparations Directive DSD: Dangerous Substances Directive EC50: Half Maximal Effective Concentration ECHA: European Chemicals Agency EINECS: European Inventory of Existing Commercial Chemical Substances. ES: Exposure Scenario GefStoffVO: Ordinance on Hazardous Substances, Germany. GHS: Globally Harmonized System of Classification and Labeling of Chemicals. IARC: International Agency for Research on Cancer IATA: International Air Transport Association. IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA). IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization. ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO). IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients. IRCCS: Scientific Institute for Research, Hospitalization and Health Care KAFH: KAFH KSt: Explosion coefficient. LC50: Lethal concentration, for 50 percent of test population. LD50: Lethal dose, for 50 percent of test population. LDLo: Leathal Dose Low N.A.: Not Applicable N/D: Not defined/ Not available NIOSH: National Institute for Occupational Safety and Health NOAEL: No Observed Adverse Effect Level OSHA: Occupational Safety and Health Administration. PBT: Persistent, Bioaccumulative and Toxic PGK: Packaging Instruction PNEC: Predicted No Effect Concentration. **PSG:** Passengers RID: Regulation Concerning the International Transport of Dangerous Goods by Rail. STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. TLV: Threshold Limiting Value. TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard). vPvB: Very Persistent, Very Bioaccumulative. WGK: German Water Hazard Class. Paragraphs modified from the previous revision: - SECTION 1: Identification of the substance/mixture and of the company/undertaking - SECTION 2: Hazards identification - SECTION 3: Composition/information on ingredients - SECTION 4: First aid measures - SECTION 5: Firefighting measures - SECTION 6: Accidental release measures - SECTION 7: Handling and storage - SECTION 8: Exposure controls/personal protection - SECTION 9: Physical and chemical properties - SECTION 10: Stability and reactivity - SECTION 11: Toxicological information

- SECTION 12: Ecological information
- SECTION 13: Disposal considerations
- SECTION 14: Transport information
- SECTION 15: Regulatory information